

0000 37698

CORRES CONTROL
INCOMING LTR NO

23 212 RF 94

DUE
DATE

ACTION



Department of Energy

ROCKY FLATS FIELD OFFICE
P O BOX 928
GOLDEN COLORADO 80402 0928

AUG 17 2 02 PM '94

AUG 17 1994

94-DOE-08904

| DIST | LTR | ENC |
|-----------------|-----|-----|
| BURLINGAME, A H | | |
| BUSBY, W S | | |
| CARNIVAL, G J | | |
| CORDOVA, R C | | |
| DAVIS, J G | | |
| FERRERA, D W | | |
| FRAY, R E | | |
| GEIS, J A | | |
| GLOVER, W S | | |
| GOLAN, P M | | |
| HANNI, B J | | |
| HEALY, T J | | |
| HEDAH, T G | | |
| HILBIG, J G | | |
| HUTCHINS, N M | | |
| ACKSON, D T | | |
| ELL, R E | | |
| UESTER, A W | | |
| IARX, G E | | |
| McDONALD, M M | | |
| McKENNA, F G | | |
| MORGAN, R V | | |
| WIZZUTO, V M | | |
| WOTTER, G L | | |
| ANDLIN, N B | | |
| ATTERWHITE, D G | | |
| CHUBERT, A L | | |
| CHWARTZ, J K | | |
| ETLOCK, G H | | |
| TIGER, S G | | |
| OBIN, P M | | |
| BOORHEIS, G M | | |
| WILSON, J M | | |
| PORTER, G | X | |
| MARTIN, P | X | |
| HOLLOWELL, L | X | |
| SCHRAEDER, D C | X | |

Mr Martin Hestmark

Rocky Flats Team

U S Environmental Protection Agency, Region VIII

999 18th Street, Suite 500

Denver, CO 80202-2466

Mr Gary Baughman

Facilities Section

Hazardous Waste Control Program

Colorado Department of Health

4300 Cherry Creek Dr South

Denver, CO 80222-1530

Gentlemen

Enclosed for your review are the following draft sections of the Pond Water Management Interim Measure/Interim Remedial Action Decision Document dealing with administrative controls for pond water discharges

- Section 5 2 Description and Evaluation of Alternatives, and
- Draft chapter of the Evaluation Criteria for Physical Control Alternatives for Pond Water Management

Also enclosed is a matrix which will be utilized to aid in the determination of the physical control alternative that best meets criteria identified in previous meetings. Please provide comments to the Rocky Flats Field Office by September 6, 1994. If you have any questions or comments regarding this submittal please call me at 966-3424 or Annette Marquez at 966-6247

Sincerely,

Gail S Hill, Acting Director
Environmental Guidance Division

2 Enclosures

cc w/o Enclosures

S Olinger, AMESH, RFFO

A Marquez, EGD, RFFO

C Row, SSD, RFFO

J Pepe, ER, RFFO

G* Porter, EG&G

P Martin, EG&G

B Fraser, EPA

R Shankland, EPA

S Tarlton, CDPHE

J Schieffelin, CDPHE

D Norbury, CDPHE

NOTE - RECEIVED
WITHOUT ENCLOSURES

| | | |
|----------------|---|---|
| CORRES CONTROL | X | X |
| DMN RECORD/080 | X | 2 |
| ATST/130G | | |

Reviewed for Addressee
Corres Control RFP8-18-94 RDA
DATE BY

Ref Ltr #

DOE ORDER # 5400.1

DOCUMENT CLASSIFICATION
REVIEW WAIVER FOR
CLASSIFICATION OFFICE

A 0006-0003-71